



## Taski Jontec Prostrip F1b

Revision: 2023-08-25

Version: 06.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** Taski Jontec Prostrip F1b

UFI: F0G5-X072-100S-EA8H

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use:** Floor stripper.  
For professional use only.

**Uses advised against:** Uses other than those identified are not recommended.

#### SWED - Sector-specific worker exposure description :

AISE\_SWED\_PW\_8a\_1  
AISE\_SWED\_PW\_4\_2  
AISE\_SWED\_PW\_10\_2  
AISE\_SWED\_PW\_19\_2

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssebroeksedijk 2, 3542DN Utrecht, The Netherlands

#### Contact details

Diversey Ltd  
Weston Favell Centre, Northampton NN3 8PD, United Kingdom  
Tel: 01604 405311, Fax: 01604 406809  
Regulatory Email: customerservice.uk@diversey.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)  
For medical or environmental emergency only:  
call 0800 052 0185

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Skin Corr. 1B (H314)  
STOT SE 3 (H335)  
Eye Dam. 1 (H318)

#### 2.2 Label elements



**Signal word:** Danger.

Contains 2-aminoethanol (Ethanalamine)

#### Hazard statements:

H314 - Causes severe skin burns and eye damage.  
H335 - May cause respiratory irritation.

#### Precautionary statements:

P260 - Do not breathe vapours.  
P280 - Wear protective gloves, protective clothing and eye or face protection.  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

## Taski Jontec Prostrip F1b

Continue rinsing.  
P310 - Immediately call a POISON CENTRE, doctor or physician.

**2.3 Other hazards**

No other hazards known.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
2-aminoethanol	205-483-3	141-43-5	01-2119486455-28	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) STOT SE 3 (H335) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		10-20
2-(2-butoxyethoxy)ethanol	203-961-6	112-34-5	01-2119475104-44	Eye Irrit. 2 (H319)		10-20
benzyl alcohol	202-859-9	100-51-6	01-2119492630-38	Acute Tox. 4 (H302) Acute Tox. 4 (H332) Eye Irrit. 2 (H319)		3-10
sodium cumenesulphonate	239-854-6	15763-76-5	01-2119489411-37	Eye Irrit. 2 (H319)		1-3

**Specific concentration limits**

2-aminoethanol:

- STOT SE 3 (H335) >= 5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

**SECTION 4: First aid measures****4.1 Description of first aid measures****General Information:**

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

**Inhalation:**

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE, doctor or physician if you feel unwell.

**Skin contact:**

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.

**Eye contact:**

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

**Ingestion:**

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

**Self-protection of first aider:**

Consider personal protective equipment as indicated in subsection 8.2.

**4.2 Most important symptoms and effects, both acute and delayed****Inhalation:**

May cause respiratory irritation.

**Skin contact:**

Causes severe burns.

**Eye contact:**

Causes severe or permanent damage.

**Ingestion:**

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

**4.3 Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

**5.2 Special hazards arising from the substance or mixture**

No special hazards known.

## Taski Jontec Prostrip F1b

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

**6.2 Environmental precautions**

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

**6.3 Methods and material for containment and cleaning up**

Ensure adequate ventilation. Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Use only outdoors or in a well-ventilated area. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
2-aminoethanol	1 ppm 2.5 mg/m <sup>3</sup>	3 ppm 7.6 mg/m <sup>3</sup>
2-(2-butoxyethoxy)ethanol	10 ppm 67.5 mg/m <sup>3</sup>	15 ppm 101.2 mg/m <sup>3</sup>

Biological limit values, if available:

**Recommended monitoring procedures, if available:**

**Additional exposure limits under the conditions of use, if available:**

**DNEL/DMEL and PNEC values****Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
2-aminoethanol	-	-	-	1.5
2-(2-butoxyethoxy)ethanol	-	-	-	1.25
benzyl alcohol	-	25	-	4
sodium cumenesulphonate	-	-	-	3.8

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic

## Taski Jontec Prostrip F1b

	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)
2-aminoethanol	No data available	-	No data available	3
2-(2-butoxyethoxy)ethanol	No data available	-	No data available	20
benzyl alcohol	-	47	-	9.5
sodium cumenesulphonate	-	-	-	136.25

## DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
2-aminoethanol	No data available	-	No data available	1.5
2-(2-butoxyethoxy)ethanol	No data available	-	No data available	10
benzyl alcohol	-	29	-	5.7
sodium cumenesulphonate	-	-	-	68.1

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
2-aminoethanol	-	-	0.51	1
2-(2-butoxyethoxy)ethanol	101.2	-	67.5	67.5
benzyl alcohol	-	450	-	90
sodium cumenesulphonate	-	-	-	26.9

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
2-aminoethanol	-	-	0.28	0.18
2-(2-butoxyethoxy)ethanol	50.6	-	34	34
benzyl alcohol	-	40	-	8.11
sodium cumenesulphonate	-	-	-	6.6

## Environmental exposure

## Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
2-aminoethanol	0.07	0.007	0.028	100
2-(2-butoxyethoxy)ethanol	1	0.1	3.9	200
benzyl alcohol	1	0.1	2.3	39
sodium cumenesulphonate	0.23	0.023	2.3	100

## Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
2-aminoethanol	0.375	0.0357	1.29	-
2-(2-butoxyethoxy)ethanol	4	0.4	0.4	-
benzyl alcohol	5.27	0.527	0.456	-
sodium cumenesulphonate	0.862	0.0862	0.037	-

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

## REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual transfer and dilution Manual transfer of product	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a

## Personal protective equipment

## Eye / face protection:

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is

## Taski Jontec Prostrip F1b

<b>Hand protection:</b>	strongly recommended when handling open containers or if splashes may occur. Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: $\geq 480$ min Material thickness: $\geq 0.7$ mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: $\geq 30$ min Material thickness: $\geq 0.4$ mm In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
<b>Body protection:</b>	Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
<b>Respiratory protection:</b>	Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.
<b>Environmental exposure controls:</b>	Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 25

<b>Appropriate engineering controls:</b>	No special requirements under normal use conditions.
<b>Appropriate organisational controls:</b>	Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

#### REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
Machine application	AISE_SWED_PW_10_2	PW	PROC 10	480	ERC8a
Manual application by brushing, wiping or mopping					
Manual application	AISE_SWED_PW_19_2	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_2	PW	PROC 4	480	ERC8a

#### Personal protective equipment

##### Eye / face protection:

Safety glasses or goggles (EN 166).

##### Hand protection:

Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.  
Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.  
Suggested gloves for prolonged contact: Material: butyl rubber Penetration time:  $\geq 480$  min Material thickness:  $\geq 0.7$  mm  
Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time:  $\geq 30$  min Material thickness:  $\geq 0.4$  mm  
In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

##### Body protection:

No special requirements under normal use conditions.

##### Respiratory protection:

No special requirements under normal use conditions.

##### Environmental exposure controls:

No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
<b>Physical state:</b> Liquid	
<b>Colour:</b> Clear , Pale , Yellow	
<b>Odour:</b> Product specific	
<b>Odour threshold:</b> Not applicable	
<b>Melting point/freezing point (°C):</b> Not determined	Not relevant to classification of this product
<b>Initial boiling point and boiling range (°C):</b> Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
2-aminoethanol	169-171	Method not given	1013
2-(2-butoxyethoxy)ethanol	225-233	Method not given	1013
benzyl alcohol	205	Method not given	1013
sodium cumenesulphonate	No data available		

## Taski Jontec Prostrip F1b

**Flammability (solid, gas):** Not applicable to liquids

**Flammability (liquid):** Not flammable.

**Flash point (°C):** > 93 °C

**Sustained combustion:** Not applicable.

( UN Manual of Tests and Criteria, section 32, L.2 )

**Lower and upper explosion limit/flammability limit (%):** Not determined

**Method / remark**

Weight of evidence

See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
2-aminoethanol	3.4	27
2-(2-butoxyethoxy)ethanol	0.8	5.9
benzyl alcohol	1.3	13

**Method / remark**

**Autoignition temperature:** Not determined

**Decomposition temperature:** Not applicable.

**pH:** >= 11.5 (neat)

**Dilution pH:** ≈ 11 (25 %)

**Kinematic viscosity:** Not determined

**Solubility in / Miscibility with water:** Fully miscible

ISO 4316

ISO 4316

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
2-aminoethanol	1000	Method not given	20
2-(2-butoxyethoxy)ethanol	955 Soluble	Method not given	20
benzyl alcohol	40	Method not given	20
sodium cumenesulphonate	493 Soluble	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

**Method / remark**

**Vapour pressure:** Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
2-aminoethanol	50	Method not given	20
2-(2-butoxyethoxy)ethanol	2.7	Method not given	20
benzyl alcohol	22	Method not given	20
sodium cumenesulphonate	No data available		

**Method / remark**

**Relative density:** ≈ 1.01 (20 °C)

**Relative vapour density:** No data available.

**Particle characteristics:** No data available.

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

## 9.2 Other information

### 9.2.1 Information with regard to physical hazard classes

**Explosive properties:** Not explosive.

**Oxidising properties:** Not oxidising.

**Corrosion to metals:** Not corrosive

### 9.2.2 Other safety characteristics

**Alkali reserve:** ≈ 6.8 (g NaOH / 100g; pH=10)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal storage and use conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

None known under normal storage and use conditions.

## Taski Jontec Prostrip F1b

**10.5 Incompatible materials**

Reacts with acids.

**10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Mixture data: .

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

ATE - Inhalatory, mists (mg/l): >5

ATE - Inhalatory, vapours (mg/l): >20

Substance data, where relevant and available, are listed below:.

**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
2-aminoethanol	LD <sub>50</sub>	1089	Rat	OECD 401 (EU B.1)		1089
2-(2-butoxyethoxy)ethanol	LD <sub>50</sub>	2410	Rat	Method not given		Not established
benzyl alcohol	LD <sub>50</sub>	1200	Rat	Method not given		1200
sodium cumenesulphonate	LD <sub>50</sub>	> 7000	Rat	Method not given		Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
2-aminoethanol	LD <sub>50</sub>	2504	Rabbit	OECD 402 (EU B.3)		2504
2-(2-butoxyethoxy)ethanol	LD <sub>50</sub>	2764	Rabbit	Method not given		Not established
benzyl alcohol	LD <sub>50</sub>	> 2000	Rabbit	Method not given		Not established
sodium cumenesulphonate	LD <sub>50</sub>	> 2000	Rabbit	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-aminoethanol	LC <sub>50</sub>	> 1.4 No mortality observed	Rat	Method not given	4
2-(2-butoxyethoxy)ethanol		No data available			
benzyl alcohol	LC <sub>50</sub>	> 4 (mist)	Rat	OECD 403 (EU B.2)	4
sodium cumenesulphonate	LC <sub>50</sub>	> 5 (mist) No mortality observed	Rat	Read across	3.87

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
2-aminoethanol	Not established	Not established	Not established	Not established
2-(2-butoxyethoxy)ethanol	Not established	Not established	Not established	Not established
benzyl alcohol	Not established	4	Not established	Not established
sodium cumenesulphonate	Not established	Not established	Not established	Not established

**Irritation and corrosivity**

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	
2-(2-butoxyethoxy)ethanol	Not irritant	Rabbit	Method not given	
benzyl alcohol	No data available			
sodium cumenesulphonate	Not irritant	Rabbit	OECD 404 (EU B.4)	

## Taski Jontec Prostrip F1b

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	
2-(2-butoxyethoxy)ethanol	Irritant	Rabbit	Method not given	
benzyl alcohol	Irritant		Method not given	
sodium cumenesulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-aminoethanol	Irritating to respiratory tract		Method not given	
2-(2-butoxyethoxy)ethanol	No data available			
benzyl alcohol	No data available			
sodium cumenesulphonate	No data available			

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
2-(2-butoxyethoxy)ethanol	Not sensitising	Guinea pig	Method not given	
benzyl alcohol	Not sensitising		Method not given	
sodium cumenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
2-aminoethanol	No data available			
2-(2-butoxyethoxy)ethanol	No data available			
benzyl alcohol	Not sensitising			
sodium cumenesulphonate	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
2-aminoethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Mouse lymphoma)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
2-(2-butoxyethoxy)ethanol	No evidence of genotoxicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given
benzyl alcohol	No data available		No data available	
sodium cumenesulphonate	No evidence for mutagenicity, negative test results	Method not given	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)

## Carcinogenicity

Ingredient(s)	Effect
2-aminoethanol	No evidence for carcinogenicity, weight-of-evidence
2-(2-butoxyethoxy)ethanol	No data available
benzyl alcohol	No data available
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
2-aminoethanol	NOAEL	Developmental toxicity	> 75	Rabbit	OECD 414 (EU B.31), oral	6 - 15 day(s)	No evidence for developmental toxicity No evidence for reproductive toxicity
2-(2-butoxyethoxy)ethanol			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity
benzyl alcohol			No data available				
sodium cumenesulphonate	NOAEL	Teratogenic effects	> 936	Rat	Non guideline test		No known significant effects or critical hazards

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
---------------	----------	-------	---------	--------	----------	-----------------------------



## Taski Jontec Prostrip F1b

		(mg/kg bw/d)			time (days)	affected
2-aminoethanol	NOAEL	300	Rat		75	
2-(2-butoxyethoxy)ethanol		No data available				
benzyl alcohol		No data available				
sodium cumenesulphonate	NOAEL	763 - 3534	Rat	OECD 408 (EU B.26)		No effects observed

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-aminoethanol		No data available				
2-(2-butoxyethoxy)ethanol		No data available				
benzyl alcohol		No data available				
sodium cumenesulphonate		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-aminoethanol		No data available				
2-(2-butoxyethoxy)ethanol		No data available				
benzyl alcohol		No data available				
sodium cumenesulphonate		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
2-aminoethanol			No data available					
2-(2-butoxyethoxy)ethanol			No data available					
benzyl alcohol			No data available					
sodium cumenesulphonate			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
2-aminoethanol	Respiratory tract
2-(2-butoxyethoxy)ethanol	No data available
benzyl alcohol	Not applicable
sodium cumenesulphonate	Not applicable

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
2-aminoethanol	No data available
2-(2-butoxyethoxy)ethanol	No data available
benzyl alcohol	Not applicable
sodium cumenesulphonate	Not applicable

**Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3.

**Potential adverse health effects and symptoms**

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

**11.2 Information on other hazards****11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

**11.2.2 Other information**

No other relevant information available.

**SECTION 12: Ecological information**

## Taski Jontec Prostrip F1b

## 12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

**Aquatic short-term toxicity**

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-aminoethanol	LC <sub>50</sub>	349	<i>Cyprinus carpio</i>	OECD 203, semi-static	96
2-(2-butoxyethoxy)ethanol	LC <sub>50</sub>	> 100	Fish	Method not given	
benzyl alcohol	LC <sub>50</sub>	460	Fish	Method not given	96
sodium cumenesulphonate	LC <sub>50</sub>	> 1000	Fish	EPA-OPPTS 850.1075	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-aminoethanol	EC <sub>50</sub>	27.04	<i>Daphnia magna Straus</i>	OECD 202, static	48
2-(2-butoxyethoxy)ethanol	EC <sub>50</sub>	> 100	<i>Daphnia magna Straus</i>	DIN 38412, Part 11	48
benzyl alcohol	EC <sub>50</sub>	230	<i>Daphnia magna Straus</i>	Method not given	48
sodium cumenesulphonate	EC <sub>50</sub>	> 1000	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-aminoethanol	EC <sub>50</sub>	2.8	<i>Selenastrum capricornutum</i>	OECD 201 (EU C.3)	72
2-(2-butoxyethoxy)ethanol	EC <sub>50</sub>	> 100	<i>Desmodesmus subspicatus</i>	Method not given	
benzyl alcohol	EC <sub>50</sub>	640	<i>Scenedesmus quadricauda</i>	Method not given	96
sodium cumenesulphonate	E <sub>b</sub> C <sub>50</sub>	> 230	Not specified	EPA OPPTS 850.5400	96

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
2-aminoethanol		No data available			
2-(2-butoxyethoxy)ethanol		No data available			
benzyl alcohol		No data available			
sodium cumenesulphonate		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
2-aminoethanol	EC <sub>50</sub>	> 1000	Activated sludge	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
2-(2-butoxyethoxy)ethanol	EC <sub>10</sub>	1170	<i>Pseudomonas putida</i>	Method not given	16 hour(s)
benzyl alcohol		No data available			
sodium cumenesulphonate	E <sub>r</sub> C <sub>50</sub>	> 1000	Bacteria	OECD 209	3 hour(s)

**Aquatic long-term toxicity**

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-aminoethanol	NOEC	1.2	<i>Oryzias latipes</i>	OECD 210	30 day(s)	
2-(2-butoxyethoxy)ethanol		No data available				
benzyl alcohol		No data available				
sodium cumenesulphonate		No data available				

## Taski Jontec Prostrip F1b

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-aminoethanol	NOEC	0.85	<i>Daphnia magna</i>	OECD 202	21 day(s)	
2-(2-butoxyethoxy)ethanol		No data available				
benzyl alcohol		No data available				
sodium cumenesulphonate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				
2-(2-butoxyethoxy)ethanol		No data available				
benzyl alcohol		No data available				
sodium cumenesulphonate		No data available				

**Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable
2-(2-butoxyethoxy)ethanol	Activated sludge, aerobe	COD removal	95% in 28 day(s)	OECD 301C	Readily biodegradable

## Taski Jontec Prostrip F1b

benzyl alcohol		Method not given	95 - 97% % in 21 day(s)	Method not given	Readily biodegradable
sodium cumenesulphonate		CO <sub>2</sub> production	103 - 109% in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

**12.3 Bioaccumulative potential**

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
2-aminoethanol	- 1.91	OECD 107	No bioaccumulation expected	
2-(2-butoxyethoxy)ethanol	0.56	Method not given	No bioaccumulation expected	
benzyl alcohol	1.05	Method not given	Low potential for bioaccumulation	
sodium cumenesulphonate	-1.1	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
2-aminoethanol	No data available				
2-(2-butoxyethoxy)ethanol	1.4		QSAR	Low potential for bioaccumulation	
benzyl alcohol	No data available			Low potential for bioaccumulation	
sodium cumenesulphonate	No data available				

**12.4 Mobility in soil**

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
2-aminoethanol	0.067		Model calculation		Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected
2-(2-butoxyethoxy)ethanol	No data available				Potential for mobility in soil, soluble in water
benzyl alcohol	No data available				Potential for mobility in soil, soluble in water
sodium cumenesulphonate	No data available				

**12.5 Results of PBT and vPvB assessment**

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

**12.6 Endocrine disrupting properties**

Endocrine disrupting properties - Environmental effects, if available:

**12.7 Other adverse effects**

No other adverse effects known.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

**Waste from residues / unused products:**

**European Waste Catalogue:**

**Empty packaging**

**Recommendation:**

**Suitable cleaning agents:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.  
20 01 15\* - alkalines.

Dispose of observing national or local regulations.

Water, if necessary with cleaning agent.

**SECTION 14: Transport information**

## Taski Jontec Prostrip F1b

**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

14.1 UN number or ID number: 2491

14.2 UN proper shipping name:

Ethanolamine solution

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

**Other relevant information:****ADR**

Classification code: C7

Tunnel restriction code: (E)

Hazard identification number: 80

**IMO/IMDG**

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

**Comah - classification:** Not classified

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

SDS code: MSDS5341

Version: 06.0

Revision: 2023-08-25

**Reason for revision:**

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 1, 3, 8, 9, 10, 16

**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Taski Jontec Prostrip F1b****Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H302 - Harmful if swallowed.
- H312 - Harmful in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H332 - Harmful if inhaled.
- H335 - May cause respiratory irritation.
- H402 - Harmful to aquatic life.
- H412 - Harmful to aquatic life with long lasting effects.

**End of Safety Data Sheet**