

Safety Data Sheet

According to Regulation (EC) No 1907/2006

TASKI Jontec Extra F3e

Revision: 2022-07-03 **Version:** 11.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: TASKI Jontec Extra F3e

UFI: 6A95-H0NU-U003-SST8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Floor cleaner.

For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_4_1 AISE_SWED_PW_10_1 AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)

2.2 Label elements



Signal word: Warning.

Contains 2-methyl-2H-isothiazol-3-one (Methylisothiazolinone)

Hazard statements:

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

EUH208 - May produce an allergic reaction.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
ethanediol	203-473-3	107-21-1	01-2119456816-28	Acute Tox. 4 (H302) STOT RE 2 (H373)		1-3
alkyl alcohol ethoxylate	[4]	69011-36-5	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)		1-3
zinc oxide	215-222-5	1314-13-2	01-2119463881-32	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		0.1-1
ammonia	215-647-6	1336-21-6	01-2119488876-14	Skin Corr. 1B (H314) STOT SE 3 (H335) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		0.1-1
1,2-benzisothiazol-3(2H)-one	220-120-9	2634-33-5	[6]	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		< 0.01
2-methyl-2H-isothiazol-3-one	220-239-6	2682-20-4	[6]	Acute Tox. 2 (H330) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 M=10 (H400) Aquatic Chronic 1 (H410)		< 0.01

Specific concentration limits

1,2-benzisothiazol-3(2H)-one:

• Skin Sens. 1 (H317) >= 0.05% 2-methyl-2H-isothiazol-3-one:

• Skin Sens. 1 (H317) >= 0.0015%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If irritation occurs and persists, get medical attention.

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:No known effects or symptoms in normal use.Skin contact:No known effects or symptoms in normal use.Eye contact:Causes severe irritation.

Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Ingestion:

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term	UK - Short term
	value(s)	value(s)
ethanediol	10 mg/m3 particulates	40 ppm vapour
	20 ppm vapour	104 mg/m ³ vapour
	52 mg/m³ vapour	30 mg/m ³ particulate
ammonia	25 ppm	35 ppm
	18 mg/m ³	25 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
ethanediol	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-
zinc oxide	-	-	-	0.83
ammonia	-	-	-	-
1,2-benzisothiazol-3(2H)-one	-	-	=	-

2-methyl-2H-isothiazol-3-one	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
ethanediol	No data available	-	No data available	106
alkyl alcohol ethoxylate	-	-	-	-
zinc oxide	No data available	-	No data available	83
ammonia	No data available	6.8	No data available	6.8
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
ethanediol	No data available	-	No data available	53
alkyl alcohol ethoxylate	-	-	-	-
zinc oxide	No data available	-	No data available	83
ammonia	No data available	-	No data available	-
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
ethanediol	-	-	35	-
alkyl alcohol ethoxylate	-	-	-	-
zinc oxide	-	-	-	5
ammonia	36	47.6	14	47.6
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
ethanediol	-	-	7	-
alkyl alcohol ethoxylate	-	-	-	-
zinc oxide	-	-	-	2.5
ammonia	-	-	-	-
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

Environmental exposure Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
ethanediol	10	1	10	199.5
alkyl alcohol ethoxylate	-	-	-	-
zinc oxide	0.0206	0.0061	-	0.052
ammonia	0.0011	0.011	-	-
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
ethanediol	37	3.7	1.53	-
alkyl alcohol ethoxylate	-	-	-	-
zinc oxide	117.8	0.0565	0.0356	-
ammonia	-	-	-	-
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Machine application	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Manual application by brushing, wiping or mopping					
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment

Hand protection: Body protection:

Respiratory protection:

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 166). No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Milky , White Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
ethanediol	194-205	Method not given	1013
alkyl alcohol ethoxylate	> 200	Method not given	
zinc oxide	No data available		
ammonia	28.5	Method not given	
1,2-benzisothiazol-3(2H)-one	No data available		
2-methyl-2H-isothiazol-3-one	No data available		

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.
Flash point (°C): Not applicable.
Sustained combustion: Not applicable.
(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined See substance data

Substance data, flammability or explosive limits, if available:

outstance data, narrindomy or expresive minte, it availables		
Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
ethanediol	3.2	15.3
ammonia	15 4	33.6

Method / remark

Autoignition temperature: Not determined **Decomposition temperature:** Not applicable.

pH: ≈ 8 (neat) ISO 4316

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
ethanediol	Soluble	Method not given	20

alkyl alcohol ethoxylate	Soluble	Method not given	20
zinc oxide	Insoluble		
ammonia	100 Soluble	Method not given	20
1,2-benzisothiazol-3(2H)-one	No data available		
2-methyl-2H-isothiazol-3-one	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark
See substance data

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
ethanediol	12.3	Non guideline test	25
alkyl alcohol ethoxylate	Negligible	Method not given	20-25
zinc oxide	No data available		
ammonia	586500	Method not given	20
1,2-benzisothiazol-3(2H)-one	No data available		
2-methyl-2H-isothiazol-3-one	No data available		

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

Particle characteristics: No data available.

9.2 Other information
9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Not corrosive

Relative density: ≈ 1.03 (20 °C) Relative vapour density: No data available.

Weight of evidence

9.2.2 Other safety characteristicsNo other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
ethanediol	LD 50	7712	Rat	Method not given		29000
alkyl alcohol ethoxylate	LD 50	> 300-2000	Rat	OECD 423 (EU B.1 tris)		100000
zinc oxide	LD 50	> 5000	Rat	Method not given		Not established
ammonia	LD 50	350	Rat	Method not given		Not established
1,2-benzisothiazol-3(2H)-one	LD 50	> 2000	Rat			1.2e+007
2-methyl-2H-isothiazol-3-one	LD 50	120	Rat	OECD 401 (EU B.1)		2.6e+007

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
ethanediol	LD 50	> 2000	Rabbit	Method not given		Not established
alkyl alcohol ethoxylate	LD 50	> 2000	Rabbit	Method not given		Not established
zinc oxide		No data available				Not established
ammonia		No data available				Not established
1,2-benzisothiazol-3(2H)-one	LD 50	> 2000	Rat	OECD 402 (EU B.3)		Not established
2-methyl-2H-isothiazol-3-one	LD 50	242	Rat	OECD 402 (EU B.3)	24 hours	6.4e+007

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanediol	LC 50	> 2.5 (mist) No mortality observed	Rat	Weight of evidence	6
alkyl alcohol ethoxylate		No data available			
zinc oxide		No data available			
ammonia	LC 50	7.035	Rat	Method not given	0.5
1,2-benzisothiazol-3(2H)-one		No data available			
2-methyl-2H-isothiazol-3-one	LC 50	(mist) 0.11	Rat	OECD 403 (EU B.2)	4 hours

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
ethanediol	Not established	Not established	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
zinc oxide	Not established	Not established	Not established	Not established
ammonia	Not established	Not established	Not established	Not established
1,2-benzisothiazol-3(2H)-one	Not established	Not established	Not established	Not established
2-methyl-2H-isothiazol-3-one	Not established	13000	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
ethanediol	Not irritant	Rabbit	Method not given	
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	
zinc oxide	No data available			
ammonia	Corrosive		Method not given	
1,2-benzisothiazol-3(2H)-one	Corrosive		Method not given	
2-methyl-2H-isothiazol-3-one	Corrosive			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
ethanediol	Not corrosive or irritant	Rabbit	Method not given	
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
zinc oxide	No data available			
ammonia	Severe damage		Method not given	
1,2-benzisothiazol-3(2H)-one	Severe damage		Method not given	
2-methyl-2H-isothiazol-3-one	No data available			

Respiratory tract irritation and corrosivity

Tropinatory trace minutes and controlling					
Ingredient(s)	Result	Species	Method	Exposure time	
ethanediol	No data available				

alkyl alcohol ethoxylate	No data available		
zinc oxide	No data available		
ammonia	Irritating to respiratory tract	Method not given	
1,2-benzisothiazol-3(2H)-one	No data available		
2-methyl-2H-isothiazol-3-one	No data available		

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
ethanediol	Not sensitising		Method not given	
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
zinc oxide	No data available			
ammonia	Not sensitising		Method not given	
1,2-benzisothiazol-3(2H)-one	Sensitising	Guinea pig		
2-methyl-2H-isothiazol-3-one	Sensitising	Guinea pig		

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
ethanediol	No data available			
alkyl alcohol ethoxylate	No data available			
zinc oxide	No data available			
ammonia	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			
2-methyl-2H-isothiazol-3-one	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
ethanediol	No evidence for mutagenicity, negative test results	Method not given	No data available	
alkyl alcohol ethoxylate	No evidence of genotoxicity, negative test results		No evidence of genotoxicity, negative test results	Method not given
zinc oxide	No data available		No data available	
ammonia	No evidence for mutagenicity		No evidence for mutagenicity	
1,2-benzisothiazol-3(2H)-one	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
2-methyl-2H-isothiazol-3-one	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

Carcinogenicity

Ingredient(s)	Effect
ethanediol	No evidence for carcinogenicity, negative test results
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence
zinc oxide	No data available
ammonia	No data available
1,2-benzisothiazol-3(2H)-one	No data available
2-methyl-2H-isothiazol-3-one	No data available

Toxicity for reproduction

loxicity for reproduction							
Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
ethanediol			No data available				No evidence for reproductive toxicity
alkyl alcohol ethoxylate	NOAEL	Teratogenic effects	> 50	Rat	Not known		No known significant effects or critical hazards
zinc oxide			No data available				
ammonia			No data available				No evidence for reproductive toxicity
1,2-benzisothiazol-3(2H)-one		_	No data available				
2-methyl-2H-isothiazol- 3-one			No data available				

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Species Method Exposure Specific effects and organs Endpoint Value Ingredient(s)

		(mg/kg bw/d)		time (days)	affected
ethanediol		No data			
		available			
alkyl alcohol ethoxylate		No data			
		available			
zinc oxide		No data			
		available			
ammonia	NOAEL	68	Method not		
			given		
1,2-benzisothiazol-3(2H)-one		No data			
		available			
2-methyl-2H-isothiazol-3-one		No data			
·		available			

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
ethanediol		No data available				
alkyl alcohol ethoxylate		No data available				
zinc oxide		No data available				
ammonia		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	
ethanediol		No data available				
alkyl alcohol ethoxylate		No data available				
zinc oxide		No data available				
ammonia		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
ethanediol			No data available					
alkyl alcohol ethoxylate	Oral	NOAEL	50	Rat	Method not given	24 month(s)	Effects on organ weights	
zinc oxide			No data available					
ammonia			No data available					
1,2-benzisothiazol-3(2H)-one			No data available					
2-methyl-2H-isothiazol- 3-one			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
ethanediol	No data available
alkyl alcohol ethoxylate	Not applicable
zinc oxide	No data available
ammonia	No data available
1,2-benzisothiazol-3(2H)-one	No data available
2-methyl-2H-isothiazol-3-one	No data available

STOT-repeated exposure

or or repeated expedition					
Ingredient(s)	Affected organ(s)				
ethanediol	No data available				
alkyl alcohol ethoxylate	Not applicable				
zinc oxide	No data available				

Exposure

TASKI Jontec Extra F3e

ammonia	No data available
1,2-benzisothiazol-3(2H)-one	No data available
2-methyl-2H-isothiazol-3-one	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanediol	LC 50	18500	Oncorhynchus mykiss	Method not given	96
alkyl alcohol ethoxylate	LC 50	1 - 10	Cyprinus carpio	OECD 203 (EU C.1)	96
zinc oxide	LC 50	0.169	Oncorhynchus mykiss	Read across	96
ammonia	LC 50	0.56 - 2.48	Fish	Method not given	96
1,2-benzisothiazol-3(2H)-one	LC 50	2.18	Oncorhynchus mykiss	OECD 203 (EU C.1)	
2-methyl-2H-isothiazol-3-one	LC 50	4.77	Oncorhynchus mykiss	Similar to OECD 203	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanediol	EC 50	> 100	Daphnia magna Straus	Method not given	48
alkyl alcohol ethoxylate	EC 50	1 - 10	Daphnia magna Straus	OECD 202, static	48
zinc oxide	EC 50	0.860	Daphnia magna Straus	Read across	48
ammonia	EC 50	1.1 - 22.8	Daphnia magna Straus	Method not given	
1,2-benzisothiazol-3(2H)-one	EC 50	2.94	Daphnia	OECD 202 (EU C.2)	48
2-methyl-2H-isothiazol-3-one	LC 50	0.93-1.9	Daphnia magna Straus	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanediol	EC 50	6500 - 13000	Pseudokirchner iella subcapitata	Method not given	96
alkyl alcohol ethoxylate	EC 50	1 - 10	Desmodesmus subspicatus	OECD 201, static	72
zinc oxide	EC 50	0.17	Desmodesmus subspicatus	Method not given	72
ammonia		No data available			
1,2-benzisothiazol-3(2H)-one	Er C 50	0.11		OECD 201 (EU C.3)	72
2-methyl-2H-isothiazol-3-one	EC 50	0.158	Selenastrum capricornutum	Method not given	72

Aquatic short-term toxicity - marine species				
Ingredient(s)	Endpo	int Valu	ue Species	Method

	(mg/l)	time (days)
ethanediol	No data	
	available	
alkyl alcohol ethoxylate	No data	
	available	
zinc oxide	No data	
	available	
ammonia	No data	
	available	
1,2-benzisothiazol-3(2H)-one	No data	
	available	
2-methyl-2H-isothiazol-3-one	No data	
	available	

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
ethanediol	EC 50	10000	Pseudomonas putida	Method not given	16 hour(s)
alkyl alcohol ethoxylate	EC 10	> 10000	Activated sludge	DIN 38412 / Part 8	17 hour(s)
zinc oxide		No data available			
ammonia		No data available			
1,2-benzisothiazol-3(2H)-one	EC 20	3.3	Activated sludge	OECD 209	3 hour(s)
2-methyl-2H-isothiazol-3-one	EC 20	2.8	Activated sludge	OECD 209	3 hour(s)

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
ethanediol	NOEC	> 100	Not specified	Method not given		
alkyl alcohol ethoxylate		No data available				
zinc oxide		No data available				
ammonia		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
ethanediol	NOEC	> 100		Method not given		
alkyl alcohol ethoxylate		No data available				
zinc oxide	NOEC	0.4	Daphnia magna	Method not given	48 hour(s)	
ammonia		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
ethanediol		No data available				
alkyl alcohol ethoxylate		No data available				
zinc oxide		No data available				
ammonia		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				
2-methyl-2H-isothiazol-3-one		No data				

	ovejlekle		
	available		

Terrestrial toxicity
Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	220	Eisenia fetida			

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	10	Lepidium sativum	OECD 208		

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

	who to dogradation photodogradation in all, il available.								
	Ingredient(s)	Half-life time	Method	Evaluation	Remark				
Γ	ethanediol	No data available	Method not given	Rapidly photodegradable					

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
ethanediol		mourou	56 % in 28 day(s)	OECD 301A	Readily biodegradable
alkyl alcohol ethoxylate	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
zinc oxide					Not applicable (inorganic substance)
ammonia					Not applicable (inorganic substance)
1,2-benzisothiazol-3(2H)-one	Adapted activated sludge	CO ₂ production	62% in 4 day(s)	OECD 301C	Not readily biodegradable.
2-methyl-2H-isothiazol-3-one					Not readily biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type Analytical method		DT 50	Method	Evaluation
1,2-benzisothiazol-3(2H)-one	Sewage treatment plant simulation	Primary degradation	> 90%	OECD 303A	Biodegradable
2-methyl-2H-isothiazol-3-one	Surface water (fresh)	Mineralisation rate	> 50 % in 4 day(s)	OECD 309	Biodegradable

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)								
Ingredient(s)	Value	Method	Evaluation	Remark				
ethanediol	-1.34	Method not given	No bioaccumulation expected					
alkyl alcohol ethoxylate	4.09	QSAR	No bioaccumulation expected					
zinc oxide	No data available							
ammonia	0.23	Method not given	No bioaccumulation expected					
1,2-benzisothiazol-3(2H)-one	0.7	OECD 107	No bioaccumulation expected					
2-methyl-2H-isothiazol-3-one	-0.32	OECD 107	No bioaccumulation expected					

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
ethanediol	No data available				
alkyl alcohol ethoxylate	-			No bioaccumulation expected	
zinc oxide	No data available				
ammonia	No data available				
1,2-benzisothiazol-3(2H)-one	6.95		OECD 305		
2-methyl-2H-isothiazol- 3-one	3.16		OECD 305		

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
ethanediol	No data available				Potential for mobility in soil, soluble in water
alkyl alcohol ethoxylate	No data available				Immobile in soil or sediment
zinc oxide	No data available				
ammonia	No data available				Low mobillity in soil
1,2-benzisothiazol-3(2H)-one	No data available				
2-methyl-2H-isothiazol-3-one	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

20 01 29* - detergents containing dangerous substances. **European Waste Catalogue:**

Empty packaging

Dispose of observing national or local regulations. Recommendation:

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods 14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
 Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

non-ionic surfactants, anionic surfactants

< 5 %

perfumes, Phenoxyethanol, Benzisothiazolinone, Methylisothiazolinone,

Methylchloroisothiazolinone, Methylisothiazolinone

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS5037 Version: 11.1 Revision: 2022-07-03

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 1, 3, 4, 7, 8, 9, 11, 12, 15, 16

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H301 Toxic if swallowed.H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- · H330 Fatal if inhaled.
- · H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement
- · LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
- LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
 NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet